

**ISSN 2518-1629 (Online),
ISSN 2224-5308 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ

С. Ж. Асфендияров атындағы Қазақ ұлттық медицина университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный медицинский
университет им. С. Д. Асфендиярова

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Asfendiyarov
Kazakh National Medical University

**SERIES
OF BIOLOGICAL AND MEDICAL**

4 (340)

JULY – AUGUST 2020

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р

ҚР ҰҒА академигі, м.ғ.д., проф.
Ж. А. Арзықұлов

Абжанов Архат, проф. (Бостон, АҚШ),
Абелев С.К., проф. (Мәскеу, Ресей),
Айтқожина Н.А., проф., академик (Қазақстан)
Акшулаков С.К., проф., академик (Қазақстан)
Алшыныбаев М.К., проф., академик (Қазақстан)
Березин В.Э., проф., корр.-мүшесі (Қазақстан)
Берсімбаев Р.И., проф., академик (Қазақстан)
Беркінбаев С.Ф., проф., (Қазақстан)
Бисенбаев А.К., проф., академик (Қазақстан)
Бишимбаева Н.Қ., проф., академик (Қазақстан)
Ботабекова Т.К., проф., корр.-мүшесі (Қазақстан)
Bosch Ernesto, prof. (Spain)
Давлетов Қ.К., ассоц.проф., жауапты хатшы
Жансүтірова Л.Б., б.ғ.к., проф. (Қазақстан)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Жамбакин Қ.Ж., проф., академик (Қазақстан), бас ред. орынбасары
Заядан Б.К., проф., академик (Қазақстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б., проф., (Қазақстан)
Қайдарова Д.Р., проф., академик (Қазақстан)
Кохметова А.М., проф., корр.-мүшесі (Қазақстан)
Күзденбаева Р.С., проф., академик (Қазақстан)
Локшин В.Н., проф., академик (Қазақстан)
Лось Д.А., prof. (Мәскеу, Ресей)
Lunenfeld Bruno, prof. (Израиль)
Макашев Е.К., проф., корр.-мүшесі (Қазақстан)
Миталипов Ш.М., (Америка)
Муминов Т.А., проф., академик (Қазақстан)
Огарь Н.П., проф., корр.-мүшесі (Қазақстан)
Омаров Р.Т., б.ғ.к., проф., (Қазақстан)
Продеус А.П., проф. (Ресей)
Purton Saul, prof. (London, UK)
Рахыпбеков Т.К., проф., корр.-мүшесі (Қазақстан)
Сапарбаев Мұрат, проф. (Париж, Франция)
Сарбасов Дос, проф. (Хьюстон, АҚШ)
Тұрысбеков Е.К., б.ғ.к., асс.проф. (Қазақстан)
Шарманов А.Т., проф. (АҚШ)

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттых ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен әқпарат министрлігінің Ақпарат және мұрагат комитетінде 01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19, 272-13-18;
<http://biological-medical.kz/index.php/en/>

© Қазақстан Республикасының Үлттых ғылым академиясы, 2020

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Г л а в н ы й р е д а к т о р

академик НАН РК, д.м.н., проф.
Ж. А. Арзыкулов

Абжанов Архат, проф. (Бостон, США),
Абелев С.К., проф. (Москва, Россия),
Айтхожина Н.А., проф., академик (Казахстан)
Акшулаков С.К., проф., академик (Казахстан)
Алчинбаев М.К., проф., академик (Казахстан)
Березин В.Э., проф., чл.-корр. (Казахстан)
Берсимбаев Р.И., проф., академик (Казахстан)
Беркинбаев С.Ф., проф. (Казахстан)
Бисенбаев А.К., проф., академик (Казахстан)
Бишимбаева Н.К., проф., академик (Казахстан)
Ботабекова Т.К., проф., чл.-корр. (Казахстан)
Bosch Ernesto, prof. (Spain)
Давлетов К.К., ассоц. проф., ответственный секретарь
Джансугурова Л. Б., к.б.н., проф. (Казахстан)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Жамбакин К.Ж., проф., академик (Казахстан), зам. гл. ред.
Заядан Б.К., проф., академик (Казахстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б., проф. (Казахстан)
Кайдарова Д.Р., проф., академик (Казахстан)
Кохметова А.М., проф., чл.-корр. (Казахстан)
Кузденбаева Р.С., проф., академик (Казахстан)
Локшин В.Н., проф., академик (Казахстан)
Лось Д.А., prof. (Москва, Россия)
Lunenfeld Bruno, prof. (Израиль)
Макашев Е.К., проф., чл.-корр. (Казахстан)
Миталипов Ш.М., (Америка)
Муминов Т.А., проф., академик (Казахстан)
Огарь Н.П., проф., чл.-корр. (Казахстан)
Омаров Р.Т., к.б.н., проф. (Казахстан)
Продеус А.П., проф. (Россия)
Purton Saul, prof. (London, UK)
Рахыпбеков Т.К., проф., чл.-корр. (Казахстан)
Сапарбаев Мурат, проф. (Париж, Франция)
Сарбасов Дос, проф. (Хьюстон, США)
Тұрысбеков Е. К., к.б.н., асс.проф. (Казахстан)
Шарманов А.Т., проф. (США)

«Известия НАН РК. Серия биологическая и медицинская».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Собственник: ПОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел. 272-13-19, 272-13-18;
www.nauka-nanrk.kz / biological-medical.kz

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: «NurNazGRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief

Zh.A. Arzykulov,
academician of NAS RK, Dr. med., prof.

Abzhanov Arkhat, prof. (Boston, USA),
Abelev S.K., prof. (Moscow, Russia),
Aitkhozhina N.A., prof., academician (Kazakhstan)
Akshulakov S.K., prof., academician (Kazakhstan)
Alchinbayev M.K., prof., academician (Kazakhstan)
Berezin V.Ye., prof., corr. member. (Kazakhstan)
Bersimbayev R.I., prof., academician (Kazakhstan)
Berkinbaev S.F., prof. (Kazakhstan)
Bisenbayev A.K., prof., academician (Kazakhstan)
Bishimbayeva N.K., prof., academician (Kazakhstan)
Botabekova T.K., prof., corr. member. (Kazakhstan)
Bosch Ernesto, prof. (Spain)
Davletov Kairat, PhD, associate professor, executive Secretary
Dzhansugurova L.B., Cand. biol., prof. (Kazakhstan)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Zhambakin K.Zh., prof., academician (Kazakhstan), deputy editor-in-chief
Zajadan B.K., prof., academician (Kazakhstan)
Ishchenko Alexander, prof. (Villejuif, France)
Isayeva R.B., prof. (Kazakhstan)
Kaydarova D.R., prof., academician (Kazakhstan)
Kokhmetova A., prof., corr. member (Kazakhstan)
Kuzdenbayeva R.S., prof., academician (Kazakhstan)
Lokshin V.N., prof., academician (Kazakhstan)
Los D.A., prof. (Moscow, Russia)
Lunenfeld Bruno, prof. (Israel)
Makashev E.K., prof., corr. member (Kazakhstan)
Mitalipov Sh.M. (America)
Muminov T.A., prof., academician (Kazakhstan)
Ogar N.P., prof., corr. member (Kazakhstan)
Omarov R.T., cand. biol., prof. (Kazakhstan)
Prodeus A.P., prof. (Russia)
Purton Saul, prof. (London, UK)
Rakhypbekov T.K., prof., corr. member. (Kazakhstan)
Saparbayev Murat, prof. (Paris, France)
Sarbassov Dos, prof. (Houston, USA)
Turybekov E.K., cand. biol., assoc. prof. (Kazakhstan)
Sharmanov A.T., prof. (USA)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine.

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5546-Ж, issued 01.06.2006.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str. of. 219, 220, Almaty, 050010; tel. 272-13-19, 272-13-18;
<http://nauka-nanrk.kz> / biological-medical.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

Biochemistry

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF BIOLOGICAL AND MEDICAL

ISSN 2224-5308

Volume 4, Number 340 (2020), 5 – 9

<https://doi.org/10.32014/2020.2519-1629.26>

UDC 577.1:547.91

S. M. Adekenov, A. I. Makubayeva, R. B. Seidakhmetova

JSC «International Research and Production Holding «Phytochemistry», Karaganda, Kazakhstan.
E-mail: info@phyto.kz

COMPONENT COMPOSITION AND BIOLOGICAL ACTIVITY OF ESSENTIAL OIL OF *ARTEMISIA TRANSILIENSIS* POLJAKOV

Abstract. The component compositions of *Artemisia transiliensis* Poljakov essential oils obtained by hydro distillation and microwave extraction were studied. The essential oils obtained by the above-mentioned methods, have a yield of 0.29% and 0.22%, respectively.

Using chromatographic-mass spectrometric analysis, it was determined that in essential oil obtained by hydro distillation, 19 components were detected, 18 of which were identified. In addition, 13 components were detected by chromatography-mass spectrometry in the essential oil obtained by microwave extraction, 12 of which were identified. The isolated samples of *Artemisia transiliensis* Poljakov essential oils are characterized by a high content of monoterpenes, where the main components are 1,8-cineole and camphor. In addition, the essential oil isolated by microwave extraction can be used as a source of 1,8-cineole.

Antimicrobial and anti-inflammatory activity of isolated essential oils was studied.

According to the results of antimicrobial activity, it was established that the essential oil of *Artemisia transiliensis* Poljakov, isolated by microwave extraction, exhibits moderate activity against gram-positive bacteria *Staphylococcus aureus*, *Bacillus subtilis*. While the essential oil obtained by hydro distillation has a weak antimicrobial activity. When determining the anti-inflammatory activity, it was established that the essential oil of *Artemisia transiliensis* Poljakov, obtained by the method of hydro distillation, at a dose of 25 mg/kg, has a pronounced anti-inflammatory activity comparable to the comparison drug “Diclofenac sodium” on the model of acute exudative reaction.

Key words: *Artemisia transiliensis* Poljakov, hydro distillation, microwave extraction, essential oil, gas chromatography-mass spectrometry, biological activity.

Introduction. On the territory of Kazakhstan, 81 species of the wormwood genus (*Artemisia* L.) grow, 16 of which are endemic [1].

As objects of study, wormwood is of great interest as a source of essential oils with a high content of biologically active components.

Artemisia transiliensis Poljakov is an endemic species; according to earlier chemical studies, its essential oil is pale green or light yellow, containing organic acids - 7%, phenols - 4.65%, cineole - 58.42%, thujone - 14-17% and, presumably, isobutyraldehyde [2].

We studied the component composition of the essential oil of *Artemisia transiliensis* Poljakov, obtained by hydro distillation and microwave extraction. The antimicrobial activity and anti-inflammatory effect of essential oils samples obtained by different methods are determined.

Materials and research methods. Raw materials of the aerial part (anthodiums, buds, leaves) of *Artemisia transiliensis* Poljakov was gathered in July 2019 in the eastern outskirts of the village Tastybastau, Talgarskiy district of Almaty region.

Essential oil was obtained by hydrodistillation on a Clevenger apparatus for 2 hours, then dried over anhydrous sodium sulfate and stored in closed vials in a dark place at a temperature of 4 °C.

By a microwave extraction method on an NEOS Essential Oils System, an essential oil was obtained at atmospheric pressure of 101.325 kPa. 100 g of raw material was loaded into a 2-liter measuring cup and water was poured so that 1/3 of the cup remained empty. Technological mode: extraction time - 90 min, temperature - 100 °C, emitting power - 550 W.

Chromatography-mass spectrometric analysis of the essential oil sample was carried out using an Agilent 6890 gas chromatograph equipped with an MSD 5973 mass-selective detector on an HP5 capillary column (5% diphenyl and 95% dimethylsiloxane, 30m x 0.25mm x 0.25mm (film thickness)). The temperature of injector is 280 °C. The column temperature was programmed as follows: 2 min at 50 °C, temperature increase at a speed of 4 deg/min to 240 °C, and then at a rate of 20 deg/min to 280 °C, isothermal period of 5 min. Helium (1.0 ml/min) was used as the carrier gas. The conditions of the mass selective detector were as follows: an ionization voltage of 70 eV, a data collection range of 30–650 a.m.u., and a data acquisition speed of 1.2 scans/s. 1.0 µl of the sample (a solution of essential oil in hexane, 8.0 µl per 0.5 ml) was injected into the chromatograph with a 100:1 flow separation. A mixture of normal hydrocarbons C₈–C₂₄ was added to the sample as a standard for determining linear retention indices.

The components of essential oils were identified by comparing their mass spectra and linear retention indices (relative to C₈–C₂₄ alkanes) with the data presented in the database [3]. Quantitative analysis was performed by the method of internal normalization for the areas of gas chromatographic peaks calculated using the Agilent ChemStation package without using correction coefficients. The sum of the peak areas of the components with linear retention indices in the range of 900–2200 was taken for 100%.

The antimicrobial activity of essential oils samples was determined on strains of gram-positive bacteria *Staphylococcus aureus*, *Bacillus subtilis*, gram-negative strains of *Escherichia coli*, *Pseudomonas aeruginosa* and on *Candida albicans* yeast fungus by agar diffusion method (wells). Comparison preparations - lincomycin hydrochloride for bacteria and nystatin for *C. albicans* yeast fungus [4].

Anti-inflammatory activity was studied on the model of acute exudative reaction with the comparison drug "Diclofenac sodium" at a dose of 25 mg/kg [5].

Results and discussion. Essential oils were obtained by hydrodistillation using a Clevenger apparatus and microwave extraction on an NEOS apparatus. The essential oils obtained by the above-mentioned methods are mobile yellow liquids with a characteristic odor. The yield of essential oils obtained by hydrodistillation and microwave extraction was 0.29% and 0.22%, respectively (in terms of air-dry raw materials).

The composition of the essential oils was studied by GC-MS method with an Agilent 6890/5973C mass selective detector.

According to chromatography-mass spectrometry in essential oil obtained by hydro distillation, 19 components were detected, 18 of which were identified. The main components are (in%): 1,8-cineole (1) - 54.09, camphor (2) - 16.52, spathulenol - 4.69. The part of identified essential oil components was 98.95%. Essential oil mainly contains monoterpenes - 81.63%, sesquiterpenes - 17.32% and unidentified components - 1.04%.



In addition, 13 components were detected by chromatography-mass spectrometry in the essential oil obtained by microwave extraction, 12 of which were identified. The main components are (in %): 1,8-cineole (1) - 66.05, camphor (2) - 15.00, spathulenol - 4.23. The proportion of identified essential oil components was 99.14%. Essential oil mainly contains monoterpenes - 89.31%, sesquiterpenes - 9.83% and unidentified components - 0.84% (table).

The main components of essential oils of *Artemisia transiliensis* Poljakov,
isolated by hydrodistillation and microwave extraction methods

№	RT, min	RI	Component	Content, %	
				HD	MWE
1	2	3	4	5	6
1	7.789	947	camphene	1.50	1.75
2	10.438	1024	p-cymene	1.90	1.35
3	10.648	1031	1,8-cineole	54.09	66.05
4	10.792	1037	santolina alcohol	1.96	1.49
5	11.362	1070	trans-arbusculone	0.66	—
6	14.618	1144	camphor	16.52	15.00
7	15.304	1163	cis-chrysanthenol	0.59	—
8	15.384	1166	borneol	1.24	1.58
9	15.543	1173	santolina alcohol acetate	1.81	1.28
10	15.810	1177	terpinen-4-ol	1.36	0.81
11	17.658	1230	nordavanone	0.72	—
12	22.495	1378	α-copaene	0.37	—
13	25.809	1484	Germacrene-D	2.21	1.60
14	26.278	1500	bicyclogermacrene	2.74	1.41
15	26.834	1515	davana ether	3.29	—
16	27.079	1527	delta-cadinene	0.93	—
17	28.740	1580	spathulenol	4.69	4.23
18	28.949	1590	cis-davanone	2.37	2.59
19	30.343	1639	Unidentified component	1.04	0.84

HD – hydro distillation, MWE – microwave extraction.

The table shows that in the essential oil obtained by microwave extraction, the quantitative content of 1, 8-cineole (**1**) is relatively predominant than in the essential oil extracted by hydro distillation. In contrast to previous studies [2], thujone was not found in the essential oil of *Artemisia transiliensis* Poljakov.



The antimicrobial activity of essential oils of *Artemisia transiliensis* Poljakov was studied on strains of gram-positive bacteria *Staphylococcus aureus*, *Bacillus subtilis*, on gram-negative strains of *Escherichia coli*, *Pseudomonas aeruginosa* and on *Candida albicans* yeast fungi by agar diffusion method (wells).

According to the results of biological screening, it was established that essential oil of *Artemisia transiliensis* Poljakov, isolated by microwave extraction, shows moderate activity against gram-positive bacteria *Staphylococcus aureus*, *Bacillus subtilis*. Whereas the essential oil obtained by hydro distillation has a weak antimicrobial activity.

Anti-inflammatory activity was studied on the model of acute exudative reaction in outbred white rats. It was found that the essential oil of *Artemisia transiliensis* Poljakov, obtained by the method of hydro distillation, at a dose of 25 mg/kg, has a pronounced anti-inflammatory activity comparable to the comparison drug "Diclofenac sodium" on the model of acute exudative reaction. And the essential oil of *Artemisia transiliensis* Poljakov, isolated by microwave extraction, at a dose of 25 mg/kg did not show anti-inflammatory activity.

Conclusion. Thus, for the first time, by the methods of hydro distillation and microwave extraction, essential oils from *Artemisia transiliensis* Poljakov were isolated and their compositions were studied.

According to GC-MS analysis, it was established that the essential oil of *Artemisia transiliensis* Poljakov contains a quantitative content of monoterpenes, where the main components of the essential oil are 1,8-cineole and camphor. However, the essential oil isolated by microwave extraction can be used as a source of 1,8-cineole. The use of the microwave extraction method is economical and shortens the process of essential oil production.

Essential oil of *Artemisia transiliensis* Poljakov isolated by hydro distillation method exhibits pronounced anti-inflammatory activity in the acute exudative reaction model.

С. М. Әдекенов, А. И. Макубаева, Р. Б. Сейдахметова

«Фитохимия» халықаралық ғылыми-өндірістік холдингі» АҚ, Қарағанды, Қазакстан

**ARTEMISIA TRANSILIENSIS POLJAKOV ЭФИР МАЙЫНЫҢ
КОМПОНЕНТТИК ҚҰРАМЫ ЖӘНЕ БИОЛОГИЯЛЫҚ БЕЛСЕНДІЛІГІ**

Аннотация. Гидродистилляция және қысқа толқынды экстракция әдісі арқылы алынған *Artemisia transiliensis* Poljakov эфир майының компоненттік құрамы зерттелді. Бұл ретте эфир майының шығымы тиісінше 0,29% және 0,22% көрсетті.

Хромат-масс-спектрометрлік талдау әдісін қолдану арқылы гидродистилляция нәтижесінде алынған эфир майында 19 компоненттің бар екендігі анықталды, олардың 18-і сәйкестендірілді. Бұл ретте хромат-масс-спектрометр әдісі арқылы микротолқынды экстракциямен алынған эфир майында 13 компонент анықталды, олардың 12-і сәйкестендірілді. Хромат-масс-спектрометрлік талдау әдісімен Іле жусанынан бөліп алынған эфир майларының үлгілері монотерпендердің жоғары мөлшерімен сипатталатыны анықталды. Ондағы негізгі компоненттер 1,8-цинеол мен камфора болып саналады. Бұл ретте қысқа толқынды экстракция әдісі арқылы бөліп алынған эфир майын 1,8-цинеол көзі ретінде пайдалануға болады.

Бөліп алынған эфир майларының микробқа және қабынуға қарсы белсенділігі зерттелді.

Микробқа қарсы белсенділік нәтижесі бойынша қысқа толқынды экстракция әдісі негізінде бөліп алынған *Artemisia transiliensis* Poljakov эфир майы *Staphylococcus aureus*, *Bacillus subtilis* грамобактерияларына қарсы орташа айқын белсенділік танытатыны анықталды. Ал гидродистилляция әдісімен алынған эфир майы микробқа қарсы әлсіз белсенділікке ие. Қабынуға қарсы әсерді анықтау кезінде гидродистилляция әдісімен алынған *Artemisia transiliensis* Poljakov эфир майы 25 мг/кг дозада жіті экссудативті реакция моделінде «Натрий диклофенагі» салыстыру препаратымен салыстыруға келетін қабынуға қарсы белсенді екендігі анықталды.

Түйін сөздер: *Artemisia transiliensis* Poljakov, гидродистилляция, қысқа толқынды экстракция, эфир майы, ГХ-МС, биологиялық белсенділік.

С. М. Адекенов, А. И. Макубаева, Р. Б. Сейдахметова

АО «Международный научно-производственный холдинг «Фитохимия», Караганда, Казахстан

**КОМПОНЕНТНЫЙ СОСТАВ И БИОЛОГИЧЕСКАЯ АКТИВНОСТЬ
ЭФИРНОГО МАСЛА ARTEMISIA TRANSILIENSIS POLJAKOV**

Аннотация. Изучены компонентные составы эфирных масел *Artemisia transiliensis* Poljakov (полыни заилийской), полученных методами гидродистилляции и микроволновой экстракции. При этом выход эфирных масел составил 0.29 % и 0.22 % соответственно.

Методом хромато-масс-спектрометрического анализа установлено, что в эфирном масле, полученного методом гидродистилляции, обнаружено 19 компонентов, из них идентифицировано 18. При этом методом хромато-масс-спектрометрии в эфирном масле, полученного микроволновой экстракцией, обнаружено 13 компонентов, из них идентифицировано 12. Выделенные образцы эфирных масел полны заильской характеристизуются высоким содержанием монотерпенов, где основными компонентами являются 1,8-цинеол и камфора. При этом эфирное масло, выделенное методом микроволновой экстракции, можно использовать в качестве источника 1,8-цинеола.

Исследована антимикробная и противовоспалительная активность выделенных эфирных масел.

По результатам биоскрининга установлено, что эфирное масло *Artemisia transiliensis* Poljakov, выделенное методом микроволновой экстракции, обладает умеренно-выраженной антимикробной активностью в отношении грамположительных бактерий *Staphylococcus aureus*, *Bacillus subtilis*. Тогда как эфирное масло, полученное методом гидродистилляции, обладает слабой антимикробной активностью. При определении противовоспалительного действия установлено, что эфирное масло *Artemisia transiliensis* Poljakov, полученное методом гидродистилляции, в дозе 25 мг/кг обладает выраженной противовоспалительной активностью, сопоставимой с препаратом сравнения «Диклофенак натрия» на модели острой эхсусдативной реакции.

Ключевые слова: *Artemisia transiliensis* Poljakov, гидродистилляция, микроволновая экстракция, эфирное масло, хромато-масс-спектрометрия, биологическая активность.

Information about authors:

Adekenov S.M., Academic of NAS RK, Doctor of Chemical Sciences, Professor, JSC "International Research and Production Holding "Phytochemistry", Karaganda, Kazakhstan; arglabin@phyto.kz; <https://orcid.org/0000-0001-7588-6174>

Makubayeva A.I., JSC "International Research and Production Holding "Phytochemistry", Karaganda, Kazakhstan; aigerim_091193@mail.ru; <https://orcid.org/0000-0002-0250-5972>

Seidakhmetova R.B., Candidate of Medicine Sciences, JSC "International Research and Production Holding "Phytochemistry", Karaganda, Kazakhstan; rozabat@mail.ru; <https://orcid.org/0000-0002-1990-4961>

REFERENCES

- [1] Pavlov N.V. (1966) Flora of Kazakhstan [Flora Kazakhstana]. Vol. 9. Almaty, Science. 635 p. (in Russ.).
- [2] Goryaev M.I., Bazalitskaya V.S., Polyakov P.P. (1962) The chemical composition of wormwoods [Khimicheskiy sostav polynei], Almaty, Publishing House "AN KazSSR" [Izdatel'stvo «AN Kaz SSR»]. 148 p. (in Russ.).
- [3] Tkachev A.V. (2008) The study of plant volatiles [Tkachev A.V. Issledovanie letuchikh veshchestv rasteniy], Novosibirsk, «Offset». 969 p. (in Russ.).
- [4] Navashin S.M. (1982) Rational antibiotic therapy [Navashin S.M. Ratsional'naya antibiotikoterapiya], M.: Medicine [Meditina]. 496 p. (in Russ.).
- [5] Khabriev R.U. (2005) Guidelines for the experimental (preclinical) study of new pharmacological substances [Rukovodstvo po eksperimental'nomu (doklinicheskому) izucheniyu novykh farmakologicheskikh veshchestv], 2nd edition, revised and add. [2-e izdaniye, pererab. i dop.], M.: Medicine [Meditina]. 832 p. (in Russ.).

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

<http://biological-medical.kz/index.php/en/>

Редакторы: *М. С. Ахметова, Д. С. Аленов, А. Ахметова*
Верстка на компьютере *Д. А. Абдрахимовой*

Подписано в печать 15.08.2020.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
4,6 п.л. Тираж 300. Заказ 4.